



**ROBUST AND RIGID STAND**

The robust stand with high stability makes it ideal for tough applications.



**MODULAR STAND**

The perfect match to DM 650 and DM 406 core drills. Can also be used with other drill motors in our range.



**FLEXIBLE SYSTEM WITH WALL SAW COLUMN**

The column is interchangeable between drill stand and wall saw.



**EASY TO SET UP AND USE**

Equipped with a carry handle on the back support and an ergonomic 3 spoke handle. An optional wheel kit can be attached for easy transportation. This will minimize the set-up time and give efficient drilling.

## Husqvarna DS 900

*DS 900 is a drill stand for big diameter core drilling. It is a robust, stable stand ideal for tough applications. DS 900 works especially well together with DM 650 core drill motor, part of the PRIME™ product range. The excellent power-to-weight ratio and user-friendly setup together with the high stability and robustness of the stand, offer you a complete setup and is the perfect choice for heavy-duty applications. DS 900 is designed with the same column as the wall saws in the WS 400 range. This makes it a very flexible system since the column is interchangeable between drill stand and wall saw.*

## Features Husqvarna DS 900

### ■ Attachment kit

TECHNICAL SPECIFICATION	
Max drill bit diameter	900 mm / 35.4 inch
Travel length	950 mm / 37.4 inch
Tilting	+/- 60°
Weight (excl. cutting equipment)	24 kg / 53 lbs
Product size, LxWxH	130x30x44.8 cm / 51.2x11.8x17.6 inch



## Husqvarna DM 650

*Our most powerful and versatile electric core drill for drilling holes up to 24 in. diameter. Equipped with high frequency PRIME™ technology. The high power output, low weight, user-friendly setup and intelligent design make DM 650 the perfect choice for heavy-duty applications. Can be used with either PP 65 or PP 220 as a power source. Suitable for water evacuation, plumbing and waste evacuation pipes.*



**EXTREMELY POWERFUL**  
The motor delivers 8 hp on the spindle (4 hp on 1-phase).



**ADJUSTABLE RPM RANGE**  
18-step adjustable rpm range ensures optimal speed for all drill bit dimensions.



**MINIMAL SERVICE NEEDS**  
Dust and water proof, water-cooled motor with minimal service requirements.



**DURABLE AND ERGONOMIC DESIGN**  
Durable and shock-proof, designed to protect the electronics. Easy to carry and install thanks to low weight and ergonomic design.

## Features Husqvarna DM 650

- An LED indicator shows the load of the machine, allowing you to always drill at maximum pressure.
- Speed is reduced to increase torque through rebar and hard aggregates for increased productivity.
- The machine uses pulsation to warn you of an approaching overload. This increases productivity and extends product life.
- The LED indicator shows the load of the machine, allowing the operator to always drill at maximum pressure, for best performance.

TECHNICAL SPECIFICATION	
Power	6000 W
Water coupling	G 1/4"
Max drill bit diameter, stand	24 inch
Min drill bit diameter	4"
Spindle thread, outer	G 1 1/4"
UNC water coupling	G 1/4"
Water Pressure, Max	8 bar
Water flow, min	0.5 l/min
Max water temp at min flow	15 °C
Weight	30.8 lbs
Hand arm vibration (Aeq)	1 m/s <sup>2</sup>